PRICE LIST **GRAPHIC** and **GRAFLEX** Cameras

CENTURY GRAPHIC CAMERAS with film receptacle, focusing panel, and coated lens indicated

CS

CS

CS

f/4.5

f/4.5

Cat. No.

CY-70

With Cat. #1212 sheet film holder

With Cat. #1246 roll film holder

With Cat. #1212 sheet film holder

Price

\$ 99.50

115.40

106.50

Price

\$41.50 △

41.50 15.00

Price

2.65

2.10

2.80

15.25 △

Focal

103 mm.

103 mm.

103 mm.

Approx. Equivalent

 $4\frac{1}{16}'' \\ 4\frac{1}{16}'' \\ 4''$

EXCLUDING OPTICAL VIEWFINDER

21/4 x 31/4 Century GRAPHICS with GRAFLOK Back

Trioptar

Trioptar

Trioptar

INCLUDING OPTICAL VIEWFINDER INSTALLED

ACCESSORIES FOR GRAPHICS

Mounting plate for Pacemaker Graphics without rangefinder.

△ These are accessories accepted by the Century Graphic.

GRAFLITE MOUNTING PLATES AND BRACKETS FOR GRAPHIC CAMERAS

L-Bracket for Graphic Cameras not readily accepting 2754, 2753 or 2755....

RANGEFINDERS AND ACCESSORIES

Additional accessories listed on following pages.

Cat. No.

3140

3173

3301

Cat. No.

2753

2758

103 mm. 101 mm.	$4\frac{1}{16}$ " 4 "	Trioptar	f/4.5		With Cat. #1212 With Cat. #1246	roll film holder	CY-703	106.50 122.40
101 mm.	4"	Kodak Ektar GRAFLEX Optar	f/4.5 f/4.5		With Cat. #1212 With Cat. #1212			137.50 146.25
PACEN panel, and co			HIC	CA	MERAS	with one	holder,	focusing
Focal	Approx.							
Length	Equivalent	S with GRAFLO	Speed / Darala	Shutter	Cat. No.	Price	Cat. No.	Price
					Crown Grap	hic "23"	Speed Gra	phic "23"
101 mm.	4"	GRAFLEX Optar	f/4.5	gxs	C-734	\$170.25	S-734	\$208.25
101 mm. 105 mm.	4" 4½"	Kodak Ektar Kodak Ektar	f/4.5 f/3.7	gss	C-724 C-754	161.50 194.35	S-724 S-754	199.50 232.35
				855	G-751	174.33	5-754	232.33
$2\frac{1}{4} \times 3\frac{1}{4} G$	RAPHIC	S with GRAFLEX	Back		Crown Grap	ohic "23"	Speed Gra	phic "23"
101 mm.	4"	GRAFLEX Optar	f/4.5	gxs	CX-731	\$161.25	SX-731	\$199.25
101 mm.	4"	Kodak Ektar	f/4.5	gss	CX-722	152.50	SX-722	190.50
105 mm.	41/8"	Kodak Ektar	f/3.7	gss	CX-75	185.35	SX-75	223.35
31/4 x 41/4 G	RAPHIC	S with GRAPHIC	or GRA	AFLEX	Back Commercia		C C	-L:- 40411
135 mm.	51/4"	GRAFLEX Optar	f/4.7	gxs	C-83	\$179.35	Speed Gra S-83	\$217.35
135 mm.	514"	GRAFLEX Optar	f/4.7	gxx	C-831	161.85	S-831	199.85
127 mm.	5"	Kodak Ektar	f/4.7	kxs	C-857	161.50	S-857	199.50
152 mm.	6"	Kodak Ektar	f/4.7	kxs	C-862	186.00	S-862	224.00
4 x 5 GRA	PHICS w	ith GRAPHIC or	GRAFII	EX Bac	k	1. 4450		
***135 mm.	51/4"	GRAFLEX Optar	f/4.7		C-93			aphic "45"
***135 mm.	51/4"	GRAFLEX Optar	f/4.7	gxs	C-93 C-931	\$185.35 167.85	S-93 S-931	\$225.35 207.85
***127 mm.	5"4	Kodak Ektar	f/4.7	gxx kxs	C-957	167.50	S-957	207.50
152 mm.	6"	Kodak Ektar	f/4.5	kxs	C-962	192.00	S-962	232.00
***Although 6" app iield of 127 mm and s true of 11.5 cm (4) Shutter Symbols:	roximates the of 13.5 cm lenses on to gxs—Grap	ert the letter X in Cat. diagonal of a 4 x 5 negative, ss (5" and 51/4") stopping down he 31/4 x 41/4 GRAPHIC Camera hex Shutter with built- ohex (X) Shutter.	many news pho n to make the s s.	tographers o corners shar	and other GRAPHIC use	rs prefer the greater unsharpness at the co c Shutter with b c (X) Shutter.	angular covera rners at full ap	erture. The same

Kalart Prism Rangefinder for Century and Pacemaker Graphics, installed (Specify Camera and Lens) ...

Kalart Focuspot Model A-1 for Use with Graflite Battery Case.

Hugo Meyer Series P Rangefinder for Graphic "34" and "45" installed (Specify Camera and Lens).

Hugo Meyer Focalite, for Series P Rangefinders and Graflite Battery Case.

Rangefinder Encircling Bracket for Pacemaker "34's" and "45's" with rangefinder.....

GRAPHIC AND GRAFLEX FILM AND PLATE ATTACHMENTS

	21/4 x 31/4		31/4 x 41/4		4 x 5	
	Cat. No.	Price	Cat. No.	Price	Cat. No.	Price
Graphic Film Pack Adapter	1232△	\$ 7.65	1233	\$ 8.65	1234	\$ 9.65
Graphic "23" Roll Film Holder	1246 △	19.95	_	_	_	_
Graphic "22" Roll Film Holder	1249 △	19.95	c	_		
GRAPHIC Sheet Film Holder	1212△	4.05	1213	4.15	1214	4.40
Graphic Plate Holder	_	_	_	- A	1224	5.60
Graflex Film Pack Adapter	1132	7.65	1133	8.65	1134	9.65
Graflex "23" Roll Film Holder	1146	19.95	_			_
Graflex "22" Roll Film Holder	1149	19.95			_	7450 <u></u>
Graflex Sheet Film Holder	1112	4.95	1113	5.35	1114	5.95
Graflex Plate Holder	1122	4.95	1123	5.35	1124	5.95
Graflex Sheet Film Magazine	1152	26.00	1153	29.50	1154	33.00
Graphic Lantern Slide Plate Holder (3½ x 4)			1227	5.60		_

GRAFLITE FLASH EQUIPMENT

2-cell with 5" reflector 2-cell with 7" reflector 3-cell with 5" reflector 3-cell with 7" reflector

	Unit for Shutters with Built-in Synchronization		
lo.	Model	Price	

(at. No.	Model	Price
	2725	GRAFLITE No. 25 Unit	\$25.95 [†] △
	2727	GRAFLITE No. 27 Unit	24.95 †
	2735	Graflite No. 35 Unit	27.45 †
	2737	Graflite No. 37 Unit	26.45†
	†Does	not include Cord or mo	unting plate

Complete Synchronizers for Shutters Utilizing Solenoid Synchronization

Cat. No.	Model (Price Includes Installation)	Price
2736	Graflite No. 35 Synchronizer	\$42.15*
2738	Graflite No. 37 Synchronizer	41.15*
*Inclu	ides installation but no mounting	plate.

GRAFLITE ACCESSORIES AND REPLACEABLE PARTS

CONNECTING CORDS

Cat. No	Price	Cat. No.	Price
2701	20" Graflite Synchronized Shutter (ASA	2707 20" Graflite Cord for Model G Switch\$1	1.50
	double post) cord^{**} \$1.40 \triangle	2708 Bayonet (ASA) Cord (Kodak, Ansco, etc) 1	.95
2702	36" Graflite Synchronized Shutter (ASA	2713 Shoe (A) Cord (Argoflex II, Argus 21) 2	2.35
	double post) cord ** 1.60	2714 Cap (Continental) Cord	1.95
2703	17" Graflite Solenoid Cord	2716 Block Post Cord (Argus C-3)	2.35
2704	36" Graflite Solenoid Cord	2718 Shoe (B) Cord (Universal Cameras)	2.35
2705	16" Graflite Twin Case Connector Cord 1.05 △	2719 Shoe (C) Cord (Stereo Realist)	2.35
2706	15' GRAFLITE Extension Cord for Side Light-	2720 15' Graflite Remote Control Cord with	
	ing Unit 1.50	Momentary Switch	2.90
**For	GRAPHIC and GRAFLEX focal plane shutters and synchro	onized front shutters with double contact posts.	

GRAFLITE BRACKETS AND MOUNTING DEVICES

Cat. No		Price	Cat. No.	Price
2753	Rangefinder Encircling Bracket for Pacemaker Graphics with Kalart or Hugo Meyer Rangefinder	32.65	2755	Battery Case mounting bracket for Pacemaker and Anniversary Graphics without range-finder\$2.10
2754	Battery Case mounting plate for Graflex Cameras			Pair of Pacemaker Handle Lugs, complete 80 \(\triangle \)
		1.10	2/58	L-Bracket
2752	Rangefinder Encircling Bracket for Anniversary Speed Graphics	2.65	2759	Platform Bracket

GRAFLITE SIDE LIGHTING UNIT

2712	Graflite Side Lighting Unit, including	No. 2706, 15' extension cord, less reflector16.0	$0 \triangle$
------	--	--	---------------

GRAFLITE REFLECTORS

2747	7" Graflite reflector for medium base lamps\$6.50 \(\triangle \)	2746	Shield for 5" Graflite and Graflex reflectors 4.20	Δ
2749	5" Graflite adjustable reflector for bayonet			
	base lamps 7.50 △			

GRAFLITE SOLENOID RELEASES

2531 No. 2 Graflex Solenoid Release, less mount . . 10.50 2532 No. 3 Graflex Solenoid Release (for use with Solenoid release mounts (type depends on model and size of camera and shutter)........... 1.50

△These are accessories accepted by the Century GRAPHIC.

GRAFLITE SUNDRY ACCESSORIES

2772	2-cell Grafilte Battery Case, with batteries and clamps
2773	3-cell Grafilte Battery Case, with batteries and clamps
2774	Graflex 1-cell extension tube (may be used in multiple)
2771	Top and bottom clamps for Grafilte Battery Cases

SUNDRY ACCESSORIES

JOHDKI ACCESSORIES		21/4 x 31/4		31/4 × 41/4			x 5
	Mount	Cat. No.	Price	Cat. No.	Price	Cat. No.	Price
(2½") 65 mm. Graflex W. A. Optar f/6.8	gxs	205 △	86.05‡	205	86.05‡		
(3½") 90 mm. Graflex W. A. Optar f/6.8	gxs		_	221	89.25	221	89.25
(3½") 88 mm. B.&L. Wide Angle Lens f/6.8	gxs	_		319	121.50	319	121.50
80 mm Kodak Wide Field Ektar f/6.3	gss	121 △	118.00	121	118.00	-	. B - - G
100 mm Kodak Wide Field Ektar f/6.3	gss	_	-	135	125.00	135	125.00
(10") 25 cm. Graflex Tele-Optar f/5.6	bm	281	140.00	281	140.00	281	140.00
Metal Lensboard for above*		9156	.80	9178	.95	9188	1.05
(15") 38 cm. Graflex Tele-Optar f/5.6	bm		_	_		291	201.25
Metal Lensboard for above*		_	_		. W 27 5	9189	1.05
(10") 25 cm. Graflex Tele-Optar f/5.6 in No. 3							
GRAPHEX Shutter		282 △	158.35	282	158.35	282	158.35
Metal Lensboard for above*		9157△	.80	9174	1.20	9184	1.30
Blank metal lensboards*		9151 △	.80	9171	.95	9181	1.05
Lensboards for standard shutters		†	1.05	†	1.20	†	1.30
Adapter for Pacemaker Graphic "45" Lensboards						0000	
(for 4 x 5 Anniversary Graphics)		-	_		_	9230	5.85
GRAFLOK Back less 4-sided viewing hood, for Pace-		0000	14.05				
maker Graphics		9292	14.95				
GRAFLEX Focusing Panel (with 4-sided removable		9142	10.20	9143	10.50	9144	11.10
hood)		7172	10.20	_	_	9014	27.00
GRAFLEX Dividing Back							
Compact Carrying Case—Speed and Crown				4213	16.00	4214	16.00
Vulcanoid Handicase		4212 △	16.00	4236	17.00	4246	18.00
Compact Carrying Case—Century and Crown							
Graphics with a few holders and small accessories.		4224 △	13.70	19 A _ 19			- 1-
Custom Case—Fine Leather, velvet lined, for Speed							
and Crown Graphics		4228 △	42.50	4238	47.50	4238	47.50
GRAPHIC Pan Tilt Tripod Head for GRAPHIC-							40.75
GRAFLEX Cameras		4610△	19.75	4610	19.75	4610	19.75

Shutter Symbols: gxs—Graphex Shutter with built-in synchronization. gxx—Graphex (X) Shutter. gxs—Supermatic Shutter with built-in synchronization kxs—Supermatic (X) Shutter.

Note: All lenses have coated elements
*For lensboards to fit older model cameras see your GRAFLEX Dealer.

†Specify lens and shutter combination to be used. ‡Not for use with Speed Graphic "23" or "34" bm—Barrel Mount.

GRAFLEX CAMERAS

All listing include Film Pack Adapter	Cat. No.	Price
2½ x 3½ Revolving Back Series B GRAFLEX including Kodak Ektalite Field Lens and fitted with 127 mm (5") Kodak Ektar lens in barrel with click stops f/4.5	L-221	\$124.50
31/4 x 41/4 Revolving Back Super D GRAFLEX including Kodak Ektalite Field Lens and fitted with 152 mm (6") Kodak Ektar lens in automatic diaphragm mount f/4.5	L-321	199.00
with 190 mm (71/6") Kodak Ektar lens in automatic diaphragm mount f/5.6	L-331	199.00
4 x 5 Revolving Back Super D GRAFLEX including Kodak Ektalite Field Lens and fitted with 190 mm (7½") Kodak Ektar lens in automatic diaphragm mount f/5.6	L-431	209.00

ACCESSORIES FOR GRAFLEX

	21/4 x 31/4		31/4 × 41/4		4 x 5	
	Cat. No.	Price	Cat. No.	Price	Cat. No.	Price
25 cm (10") Graflex Tele-Optar f/5.6 lens(bm) §	281	\$140.00	281	\$140.00	-	_
38 cm (15") GRAFLEX Tele-Optar f/5.6 lens(bm) §	_	_	_		291	\$201.25
Lensboard for above telephoto lenses	(not re	equired)	9201	1.05	9217	3.75
DeLuxe Tan Carrying Case	_	_	4138	29.65	4148	29.65
Black Grain Leather Carrying Case	4124	16.00	_	_	-	-
No. 27 Grafilte Unit (2-cell battery case, 7" reflector only)		_	2727	24.95	2727	24.95
No. 25 GRAFLITE Unit (2-cell battery case, 5" reflector only)	2725	25.95	2725	25.95	2725	25.95
GRAFLITE mounting plate (for attaching battery cases to camera)	2754	1.10	2754	1.10	2754	1.10
20" GRAFLITE Synchronized Shutter Cord	_	_	2701	1.40	2701	1.40
Mendelsohn Model G Synchronizer Switch for Open Flash Synchronization with R.B. Series B	2234	4.90	(not required)		(not required)	
GRAFLITE Model G Switch Cord	2707	1.50	(equirea)	
GRAFLEX Roll Film Holders and other Film attachments, and GRAFL	ITE flash	accessories lis	sted on pag	e 3.		

§bm-Barrel Mount.


GRAPHIC VIEW CAMERA

4 x 5 GRAPHIC VIEW II CAMERA


Including any one of the four backs listed below, 1 film holder, its pan-tilt base and Fibre Carrying		
Case designed and compartmented to hold the camera, base, 12 holders, additional lenses and access	Cat. No.	Price
sories, without lens	R-16	\$145.00
With 152 mm (6") Kodak Ektar f/4.5 lens, kxs	R-9632	\$232.00
With 203 mm (8") Kodak Ektar f/7.7 lens, gss	R-9842	\$222.50
, , , , , , , , , , , , , , , , , , , ,		
ACCESSORIES FOR GRAPHIC VIEW		
3½" (90 mm) Graflex W. A. Optar f/6.8, gxs	221	\$ 89.25
100 mm (4") Kodak Wide Field Ektar f/6.3, gss	135	125.00
Recessed metal lensboard for 90 mm W. A. lens	9234	3.75
Extra 4 x 4 metal lensboard for Graphic View Camera	9231	3.75
Accordion-type lenshade	9265	19.95
Lensboard adapter to accept Pacemaker Graphic "45" lensboard	9230	5.85
4x5-4x5 Graphic Back (less holder)	9266	19.95
4x5-3½x4½ Graphic Back (less holder)	9267	19.95
4x5-4x5 Graflex Back (with focusing panel less holder)	9268	19.95
4x5-31/4x41/4 Graflex Back (with focusing panel less holder)	9269	19.95



A. Graphex Synchronized Shutter



B. Supermatic "X" Shutter



C. Century Shutter

- A. The synchronized shutters (gxs) (gss) are rim-set, cocking type shutters providing a speed range from one to 1/400 sec. (1/200 in No. 3 shutter), including "T" and "B." Internal contacts and adjustments are provided for the type "X," type "F" and type "M" flash lamps. The GRAPHEX Synchro shutter (gxs) has a double "M" setting to provide optimum efficiency at the fast as well as the slow speeds with the type "M" flash lamps. An accessory solenoid may be fitted to the Graphex shutter if desired.
- B. The "X" shutters (gxx) (kxs) are rim-set, cocking type shutters providing a speed range from one to 1/400 sec. (1/200 in No. 3 shutter). Internal contacts are built-in to provide synchronization with the type "X" high speed electronic flash equipment. For synchronization with the type "M" flash lamps, an accessory solenoid should be used. This solenoid may also be used with the high speed electronic flash equipment operated by a built-in relay.

C. The Century Graphic shutter (cs) is a self-setting shutter providing speeds from 1/10 to 1/200 sec., including "T" and "B." Automatic internal synchronization is accomplished at all speeds as follows:

1 speeds as follows: 1/200, 1/100, 1/50 "SM" and "SF" flash lamps only (type "F") 1/25, 1/10 No. 5, No. 25, No. 22, press 40, etc. (type "M")

Dual post type connecting cord for synchronization should be

attached to the "shutter" or series outlet of the battery case.

...... High Speed Electronic Units Not Tripped By Relay Type "F" (5 millisecond)—Gas Filled "SM," "SF" Bayonet base Type "M" (20 millisecond)—Wire or Foil Filled No. 5, No. 25, Bayonet base No. 11, No. 22, No. 2, Press 40, etc. Screw base

Sept. 1, 1949

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE

New York Sales and Service Offices 50 Rockefeller Plaza, Suite 922 New York 20, N. Y.

GRAFLEX, INC. ROCHESTER 8, N. Y., U. S. A.

Western Division 3045 Wilshire Blvd. Los Angeles 5, Calif.